E9 NAGAWARA

Receipt Number	128024700527
Reciept Date	30-01-2018 10:32:52
Cash Counter	BESCOM - E9 SDO Onli
ne Cash Counter	
Payor Account ID	1280247983
Person Name	AEE BBMP
RR Number	á
Total Payment	Rs14,140.00
Mode of pay	Draft
Cheque /DD No	067531
Bank Name	KAR
Purpose	Deposits
Non Revenue category	2HMD-FEE

Fourteen Thousand One Hundred Forty Rupees Only

---------- THANK YOU ----------

á

E9 NAGAWARA

Receipt Number	128024781438
Reciept Date	30-01-2018 10:33:29
Cash Counter	BESCOM - E9 SDO Onli
ne Cash Counter	
Payor Account ID	1280247983
Person Name	AEE BBMP
RR Number	á
Total Payment	Rs3,900.00
Mode of pay	Draft
Cheque /DD No	067531
Bank Name	KAR
Purpose	Non Revenue
Non Revenue category	DEVELOPMENT-CHRG

Three Thousand Nine Hundred Rupees Only

---------- THANK YOU ----------

á

E9 NAGAWARA

Receipt Number	128024769117
Reciept Date	30-01-2018 10:33:29
Cash Counter	BESCOM - E9 SDO Onli
ne Cash Counter	
Payor Account ID	1280247983
Person Name	AEE BBMP
RR Number	á
Total Payment	Rs6,000.00
Mode of pay	Draft
Cheque /DD No	067531
Bank Name	KAR
Purpose	Non Revenue
Non Revenue category	ADTL-DEV-CHRG

Six Thousand Rupees Only

---------- THANK YOU ----------

BANGALORE ELECTRICITY SUPPLY COMPANY LTD

ಗ್ರಾಹಕರ ವಿಳಾಸ

ಪ Asst Exshive Engineer
BBMP
Ward No 6
Samudhaya Bhavana.
4th Cross.
HEGADENAGARA . B'lore—

ಎಲ್45 | 17-18
17/01/2018

ಅನುಮತಿ ಪಡೆದ ವಿದ್ಯುತ್ ಗುತ್ತಿಗೆದಾರರ ವಿಳಾಸ

SRI DURGA ENTERPRISES
(Class I Govt. Licenced Electrical Engineers & Contractors)
10, Akshaya Nilaya, 4th Cross
2nd Main Road, Maruthi Nagar
Bhadrappa layout, Bangalore - 560 094

9060729150
9591133654

ACC ID- 128024117983
SRDI - 1811658
WON-07140403

D

7049
22/1/18

ಸ್ಥಾಪನೆ : 1922 ದೂರವಾಣಿ : 080-22210983, 22104144

A

ಕರ್ನಾಟಕ ರಾಜ್ಯ ಅನುಮತಿ ಪಡೆದ ವಿದ್ಯುತ್ ಗುತ್ತಿಗೆದಾರರ ಸಂಘ (ರಿ.)

ನಂ.33, ಅವೆನ್ಯೂ ರಸ್ತೆ, ಬೆಂಗಳೂರು – 560 002
Email : ksleca@yahoo.in

GETP-6894 DIS&MRON 23-2-18-Fee 04026-MD-4.177

BBMP Sannidhya 9 Bharath

Solar not required

(ಕಂಪನಿಯ ಉಪಯೋಗಕ್ಕಾಗಿ)

ಆವರಣದ ಮಾದರಿ	LT3	ಆರ್.ಆರ್.ಸಂ.ಬರೆಯಲಾಗಿದೆಯೇ?	Yes
ಹಾಯಿಸುವ/ಮೋಟಾರುಗಳ ಒಟ್ಟು ಸಂಖ್ಯೆ	5.9Nos	ಮಾಪಕದಲ್ಲಿ ಹಾಳೆಯನ್ನು ಇಡಲಾಗಿದೆಯೇ?	Yes
ಒಟ್ಟು ಸಂಪರ್ಕ ಪ್ರಮಾಣ	9 kW	ಪುಸ್ತಕ ಸಂಖ್ಯೆ	
ಫೇಸ್ ಮೇಲೆ ಸಂಪರ್ಕ ಪ್ರಮಾಣ ಅ)	/	ಇನ್‌ಸ್ಪಲೇಷನ್ ಸಂಖ್ಯೆ	GECH-
ಆ)	/	ಸಂಪರ್ಕ ದಿನಾಂಕ	-2-18
ಇ)	/	ಸಂಪರ್ಕ	New
ವಿತರಣಾ ಟ್ರಾನ್ಸ್‌ಫಾರ್ಮರುಗಳು		ಹೊಸ	
ಇರುವ ಸ್ಥಳ	R.Uttegalenagarchuveh TC-128	ಟ್ಯಾಪಿಂಗ್	
ವೊಲ್ಟೇಜ್ ಪ್ರಮಾಣ	1X250kVA	ದೂರವಾಣಿ ಕ್ಯಾಸಿಂಗ್	
ಸಾಮರ್ಥ್ಯ	F-12-HBA	ಯಾವ ಸಂಖ್ಯೆಯ ಕಂಬದಿಂದ	
ಸಂಪರ್ಕ ಪ್ರಮಾಣ		ಈ ಆರ್. ಆರ್. ಸಂಖ್ಯೆ ನಂತರದ್ದು	GEDK-19554
ಮಾಪಕ	Pvvn GETP-6894	ಮಾಪಕ ಓದುವ ದಿನಾಂಕ	
ಮಾದರಿ ಮತ್ತು ತಯಾರಿಕೆ	3ph L&T	ಸೇವಾ ಮಾರ್ಗ	U/G cable
ಸಾಮರ್ಥ್ಯ	3.x5-30A	ಕಂಟಕ್ಟರ್ ಸಿಯು/ಎ	4 X 25 Sqm
ಪ್ರಾರಂಭದ ರಿಡೀಂಗ್	"04026"	ಕೇಬಲ್ ಡಬ್ಲ್ಯೂಪಿ/ವಿಐಆರ್/ಸಿಟಿಎನ್	
ಇತರೆ	C-213336	ಕೊಳವೆ	
ಮಾಪಕವನ್ನು ಸರಿಯಾಗಿ ಮೊಹರು ಮಾಡಿದೆಯೆ		ಆರ್ಥಿಂಗ್	
ಮಾಪಕ ಟರ್ಮಿನಲ್ ಕವರನ್ನು ಮೊಹರು ಮಾಡಿದೆಯೆ		ಏರಿಯಲ್ ಫ್ಯೂಸ್	Provided
ಕಟ್‌ಔಟ್ ಮೊಹರು ಮಾಡಿದೆಯೆ		ಕಟ್‌ಔಟ್	2 nos
ಈ ಇನ್‌ಸ್ಪಲೇಷನ್ ವೈರಿಂಗ್	Yes	ಸಂಪರ್ಕ ಸೇವೆ ದೂರ	
ನಿಯಮಗಳಿಗೆ ಅನುಸಾರವಾಗಿದೆಯೆ			
ಯಾವುದಾದರೂ ನ್ಯೂನತೆಗಳನ್ನು ಗಮನಿಸಲಾಗಿದೆಯೆ	No	ಪರೀಕ್ಷೆ	
ಮಾಪಕ ಆವರ್ತವನ್ನು ಪರೀಕ್ಷಿಸಲಾಗಿದೆಯೆ?		ಫೇಸುಗಳ ಮಧ್ಯೆ	
ಸರಿಯಾಗಿದೆಯೆ ಮತ್ತು ಅದು		ಫೇಸ್‌ನಿಂದ ನೆಲಕ್ಕೆ	
ಮಾಪಕ ಕಾರ್ಡನ್ನು ಹಾಕಿದೆಯೆ	Yes	ನ್ಯೂಟ್ರಲ್‌ನಿಂದ ನೆಲಕ್ಕೆ	6

ಪ್ರಮಾಣೀಕರಿಸುವುದೇನೆಂದರೆ, ನಾನು ಸ್ಥಾವರವನ್ನು ಪರೀಕ್ಷಿಸಿದ್ದೇನೆ.

P.K.S.K

(ಗ್ರಾಹಕರ ಸಹಿ) (ಗುತ್ತಿಗೆದಾರರ/ತಾಂತ್ರಿಕ ಸಲಹೆಗಾರರ ಸಹಿ) ಇಂಜಿನಿಯರು

ವಾಸದ ಮನೆ, ಒಡೆತನದ, ಕಛೇರಿ, ಹೊಟೆಲು, ರೆಸ್ಟೊರೆಂಟ್, ಚಲನಚಿತ್ರ ಮಂದಿರ, ಆಸ್ಪತ್ರೆ, ಧಾರ್ಮಿಕ, ಶೈಕ್ಷಣಿಕ, ಕೈಗಾರಿಕೆ (ಎವರಿಸಿ) ಕೃಷಿ ಪಂಪ್‌ಸೆಟ್ಟಿಂಗ್, ಇತರ ಪಂಪಿಂಗ್, (ಎವರಿಸಿ) ಗೃಹ ಕೈಗಾರಿಕೆ, (ಎವರಿಸಿ), ಇದರಲ್ಲಿ ಯಾವುದು ಎಂಬುದನ್ನು ತಿಳಿಸಿರಿ. 23/2/18

ಕಛೇರಿ ಉಪಯೋಗಕ್ಕೆ ಮಾತ್ರ

ಮಂಜೂರಾತಿ ಸಂಖ್ಯೆ .....

ಖಾತೆ ಪುಸ್ತಕ ಪುಟ ಸಂಖ್ಯೆ

.....

ಖಾತೆ ಸಂಖ್ಯೆ .....

ಕಾರ್ಯ ಆದೇಶ ಸಂಖ್ಯೆ ಮತ್ತು ದಿನಾಂಕ

ಇನ್‌ಸ್ಪಲೇಷನ್

.....

ಸಂಪರ್ಕ ಸಂಖ್ಯೆ

ಪರೀಕ್ಷಿಸಿದೆ

ಸಹಾಯಕ ಇಂಜಿನಿಯರ್ ಸಹಾಯಕ ಕಾರ್ಯ ನಿ. ಇಂಜಿನಿಯರು ಹಿರಿಯ ಸಹಾಯಕ/ಸಹಾಯಕ ಲೆಕ್ಕಾಧಿಕಾರಿ

ವೈರಿಂಗ್ ಗುತ್ತಿಗೆದಾರರ ಮುಕ್ತಾಯ ಮತ್ತು (ಸಮಾಪನ) ಪರೀಕ್ಷಾ ವರದಿ

ಅರ್ಜಿಯ ಸಂಖ್ಯೆ..... ಯಾವ ಜಕಾತಿಗೆ ಸೇರಿಸಿದೆ L.T.3 ಸ್ಥಳ .....

ಮಂಜೂರಾದ ವಿದ್ಯುತ್ ಪ್ರಮಾಣ 9.4 kW ರಶೀದಿ ಸಂಖ್ಯೆ ಮತ್ತು ದಿನಾಂಕ ..... ದಿನಾಂಕ .....

..... JMMD 14140/-00527

ಜ್ಞಾಪ್‌ಆಟ್‌ಗಳ ಸಂಖ್ಯೆ..... ಸೇವಾ ವೆಚ್ಚಗಳು ..... S/C 3900/- 8/438

S/C 6000/- 69117

30/1/18

ಇವರಿಗೆ, ಸಹಾಯಕ ಕಾರ್ಯನಿರ್ವಾಹಕ ಇಂಜಿನಿಯರು (ವಿದ್ಯುತ್)
ಸಹಾಯಕ ಇಂಜಿನಿಯರ್ (ವಿದ್ಯುತ್)
ಕಿರಿಯ ಇಂಜಿನಿಯರ್ (ವಿದ್ಯುತ್)

..... ವಿದ್ಯುತ್ ಸರಬರಾಜು ಕಂಪನಿ ನಿಯಮಿತ

.....

ನಾನು/ನಾವು ತಮಗೆ ತಿಳಿಸುವುದೇನೆಂದರೆ, ಈ ವಿದ್ಯುತ್ ಸ್ಥಾವರವನ್ನು Asst. Executive Engineer Samudhaya Bhavana BBMP ಅವರ ಸ್ವಾಧೀನ

ದಲ್ಲಿರುವ 4th Cross Hegadenagara Bangalore

ಸ್ಥಾವರವನ್ನು ಪೂರ್ಣಗೊಳಿಸಿದ್ದು ಪರೀಕ್ಷೆಗೆ ಸಿದ್ಧವಾಗಿದೆ.

ನಾನು/ನಾವು ಈ ಸ್ಥಾವರದ ವಿವರವಾದ ವೈರಿಂಗ್ ನಕ್ಷೆಯನ್ನು ದ್ವಿಪ್ರತಿಗಳಲ್ಲಿ ಲಗತ್ತಿಸಿದ್ದೇವೆ.

ಸ್ಥಾವರ ಮತ್ತು ಪಡೆದುಕೊಂಡ ಪರೀಕ್ಷೆಯ ವಿವರಗಳು ಕೆಳಕಂಡಂತಿವೆ.

ಬೇಡಿಕೆಯ ಸ್ವರೂಪ	ಪಾಯಿಂಟುಗಳ ಸಂಖ್ಯೆ	ಪಾಯಿಂಟುಗಳ ವ್ಯಾಟೇಜು	ಒಟ್ಟು ವ್ಯಾಟೇಜು	ಇನ್ಸುಲೇಷನ್ನಿನ ಪ್ರತಿರೋಧನ		ವೈರಿಂಗ್‌ನ ವಿವರಣೆ	ಪರಾ
				ಭೂಮಿಗೆ	ಕಂಬಗಳ ನಡುವೆ		
ದೀಪ	20	40	800		1" 3/4" PVC Pipe, 3/22, 3/20, 1/18 PVC Copper Wire, 6A MCB 16A Cutout 30A DP, 5A Socket 5A Switches, Meter Board Earthing & Necassary Fittings Etc	INFINITY	
ದೀಪಗಳು : ಅ) ಡ್ರಾಪ್ಸ್	20	60	1200				
ಆ) ಬ್ರಾಕೆಟ್	10	100	1000				
ಇ) ವಾಟರ್‌ಪ್ರೂಫ್ಸ್	06	500	3000				
ಈ) ಇತರ	03	1000	3000				
ಜೋಡಣೆಗಳು		Total	9000 Watts				
ಫ್ಯಾನುಗಳು							
ಗೋಡೆಪ್ಲಗ್‌ಗಳು							
ಗೃಹೋಪಯೋಗಿ ಉಪಕರಣಗಳು							
ಅಡಿಗೆ ಪಾತ್ರೆಗಳು							
ರೆಫ್ರಿಜರೇಟರುಗಳು							
ನೀರಿನ ತಾಪನಗಳು							
ಇತರ ಉದ್ದೇಶಗಳಿಗೆ							
ಗೋಡೆ ಪ್ಲಗ್‌ಗಳು							
ಮೋಟಾರುಗಳು	ಸಂಖ್ಯೆ	ಬಿ.ಹೆಚ್.ಪಿ. ಪ್ರತಿಯೊಂದು	ಒಟ್ಟು ಬಿ.ಹೆಚ್.ಪಿ.				
ಔದ್ಯಮಿಕ							
ಪಂಪುಗಳು							
ಇತರ ಉದ್ದೇಶಗಳು							

ಹೊಸೆದ ತಂತಿಯ ಗಾತ್ರ, ಏಕ ಅಥವಾ ಬಹುಮುಖಕೋರ ಮಾದರಿಯ ಸ್ಥಾವರ ತೆರೆಪಿಸಿರುವ/ತೇಗದ ಮರದ ರಕ್ಷಾವರಣ ಮತ್ತು ಹೊದಿಕೆ ಕೊಳವೆ, ಕೊಳವೆಯ ವೈರಿಂಗ್ ಗಾತ್ರ ಇತ್ಯಾದಿ.

ವಿತರಣಾ ಬೋರ್ಡುಗಳು, ಸ್ಟಾರ್ಟರ್‌ಗಳು, ಐರನ್ ಕ್ಲಾಡ್, ಸ್ವಿಚ್ಚುಗಳ ಸಂಖ್ಯೆ ಇತ್ಯಾದಿ.

ದಿನಾಂಕ ..... ರಂದು ನಾನು/ನಾವು ಸ್ಥಾವರವನ್ನು ಪರೀಕ್ಷಿಸಿದ್ದೇನೆ/ವೆ.

ದೃಢೀಕರಿಸುವುದೇನೆಂದರೆ, ಮಾಪಕದ ಮೆಯಿನ್ ಕವರ್ ಟರ್ಮಿನಲ್ ಕವರ್ ಮತ್ತು ಕಟ್‌ಔಟ್‌ಗಳ ಮೊಹರು ಭದ್ರವಾಗಿದೆ ಮತ್ತು ಮಾಪಕ, ಮಾಪಕ ಕಾರ್ಡು ಹಾಗೂ ಮಂಡಳಿಯ ಇತರ ಸ್ವತ್ತಿನ ಸುರಕ್ಷಿತ ರಕ್ಷಣೆಯ ಬಗ್ಗೆ ನಾನು ಜವಾಬ್ದಾರನಾಗಿರುತ್ತೇನೆ. ಬಳಕೆದಾರರು ಅಥವಾ ಅವನ ಪ್ರತಿನಿಧಿಯ ಸಹಿ ..... ವಿಳಾಸ ..... ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರ ಉಪವಿಭಾಗ ಬ್ಯಾಟರಾಯನಪುರ ಬೆಂಗಳೂರು-26 ಬಿ.ಬಿ.ಎಂ.ಪಿ.	P. Raj (ಮೇಲ್ವಿಚಾರಣಾಧಿಕಾರಿಯವರ ಸಹಿ) ತಾಂತ್ರಿಕ ಸಲಹೆಗಾರರ ಸಹಿ ದೃಢೀಕರಣ ಸಂಖ್ಯೆ ..... P SUBRAMANI No 1ESG 7324BNG # 366, B.Narayanapura Bhuvaneshwari Nagar Banagalore	P.K.Siva (ವೈರಿಂಗ್ ಮಾಡಿದ ಗುತ್ತಿಗೆದಾರರ ಸಹಿ) SRI DURGA ENTERPRISES (Authorised Licenced Electrical Engineers & Contractors) # 10, Akshaya Nilaya, 4th Cross 2nd Main Road, Maruthi Nagar Bhadrappa layout, Bangalore - 560 094

j) The Industrial / I.P. set Consumer shall obtain written permission from the Licensee for any changes to be made in the equipment, machinery or motors installed by him at the time of servicing though his sanctioned load does not exceed due to such change.

k) In case of street light installations, the maintenance of lamps and fixtures shall be carried out by the Consumer himself/herself,itself.

l) Where the Consumer is required to obtain a licence or permit or 'No objection Certificate' for running his Industrial / Commercial concern or lift irrigation scheme and the License of permit is suspended or cancelled. Or the validity of the 'No objection certificate' issued by the competent authority to lift water has expired. The Licensee shall have the right to discontinue power supply during the period when the License or permit is cancelled or suspended or the validity of the No Objection Certificate issued by the competent authority has expired.

3. METERS :

The energy supplied shall be measured and registered by a meter or meters in or upon the said permises to be provided, fixed and kept in proper order by the Licensee.

The procedure for billing when the meter is not provided or is faulty shall be regulated as per the relevant provisions of the Act and the "Conditions of Supply".

4. SECURITY DEPOSIT :

The Consumer, on a request made by the Licensee in this regard, shall renew or replenish all security deposits in the event of the same becoming exhausted or insufficient.

5. TARIFF AND PAYMENT OF ELECTRICITY CHARGES :

From the date this Agreement comes into force, the Consumer shall be bound by, and shall pay the Licensee, fixed charges, energy charges and additional security deposit in accordance with the tariffs approved by the Commission and the "Conditions of Supply" of the Licensee from time to time for the appropriate class of Consumers. The Consumer shall pay the Licensee the tax on electricity charges as determined by the Government of Karnataka from time to time. In case even after disconnection, if the dues remains unpaid, then the Licensee shall be entitled to take recourse to the provisions stipulated in the "Conditions of Supply" and other laws for the time being in force to recover the arrears.

6. DISCONNECTION FOR ARREARS AND RECONNECTION :

In case the consumer fails to pay the charges due for the electricity supplied within the due date, the Licensee shall be entitled to cut off the supply after giving due notice as provided in the Act and "Conditions of Supply" and power supply shall be restored only on payment of all arrears including interest and reconnection charges as stipulated from time to time in the "Conditions of Supply".

7. CONTINUITY OF POWER SUPPLY :

The Licensee shall take all reasonable precautions to ensure continuity of supply of power to the Consumer at the point of commencement of supply. However, the Licensee shall not be liable to the Consumer for any loss due to the interruption in the supply of power by reason of damage to the equipment of the Licensee during war, mutiny, riot, strike or by earth-quake, hurricane tempest or any accident of causes beyond the control of the Licensee.

8. ENTRY INTO CONSUMER'S PREMISES :

The Licensee shall have access to the premises of the Consumer at all reasonable times without notice for meter reading, inspection, testing and/or for any other purpose incidental to or connected with the proper maintenance of supply.

The Licensee shall have access to the premises at any time for inspection, if there is any reason to suspect breach of the provisions of this Agreement, the Act, the "Conditions of Supply".

If the Consumer, his agent, employees or any one else purporting to act on his behalf attempt to obstruct or impede the Licensee or its employees or authorized person in this regard, the Licensee shall be entitled to immediately cut off power supply. The Consumer shall also be liable to pay such penalty as may be imposed by the Licensee in this regard

9. ASSIGNMENTS OR TRANSFER OF THE BENEFIT OF THIS AGREEMENT BY THE CONSUMER

The Consumer shall not, without the previous consent in writing of the Licensee, assign, transfer or part with the benefit of this Agreement and shall not in any manner part with or create any partial/separate interest in it.

10. APPLICATIONS OF THE PROVISIONS OF THE ACT AND "CONDITIONS OF SUPPLY"

In all matters not herein specifically provided for, the provisions of the Act, the "Conditions of Supply" and other laws for the time being inforce shall apply.

11. SAVING CLAUSE :

Nothing contained in this Agreement or any amendment thereof shall restrict any rights, obligations which the Licensee or the Consumer has derived under any legislation relating to supply and consumption of electricity enacted during the period of this Agreement.

In witness whereof, the Licensee through its duly authorised representative and the Consumer have executed this Agreement on the day month and year first above written.

Consumer/Authorised Signatory

1) ..... (Signature)

Name .....

Witnesses :

1) ..... (Signature)

Name .....

Address .....

.....

.....

For ..... ELECTRICITY SUPPLY COMPANY LTD.

..... (Signature)

Name .....

Designation .....

Witnesses :

1) ..... (Signature)

Name .....

Address .....

.....

.....

SRI DURGA ENTERPRISES
(Class I Govt. Licenced Electrical Engineers & Contractors)
#.10, Akshaya Nilaya, 4th Cross
2nd Main Road, Maruthi Nagar
Bhadrappa layout, Bangalore - 560.094

GOVT. OF KARNATAKA

DEPT. OF STAMP & REGISTRATION

40737 कर्नाटक

भारत 134687 JAN 25 2018

ZERO ZERO ZERO ZERO two ZERO ZERO 12:50

INDIA Rs.0000200 PB6939

STAMP DUTY KARNATAKA

POWER SUPPLY AGREEMENT FOR SUPPLY OF LOW TENSION ELECTRICAL ENERGY

An agreement made this ..Bangalore.. day of .....(date) of ..... (month) two thousand and .....2018..... between the .....B.E.S.C.O.M..... ELECTRICITY SUPPLY COMPANY LTD. a body constituted by the Government of Karnataka (hereinafter called the "LICENSEE" which expression, wherever the context so admits shall include its successors and assigns) of the one part; And .....A.E.E. B.B.M.P..... .....(hereinafter called the "CONSUMER" which expression, wherever the context so admits shall include its successor or successors in business and assigns, executors and administrators) of the other part.

Whereas at the request of the Consumer, the Licensee has agreed to supply to the Consumer electricity for the purpose of .....L.T.3..... in his/her/ it's premises at ...Ward No. 6 Samadhana Bhavan 4th Cross..... for bonafide purposes and use within the premises. Bangalore

1. **DEFINITIONS :**

In this Agreement, unless the context otherwise requires :

a) "ACT" shall mean the Indian Electricity Act, 2003 or such other enactment governing the supply and use of electrical energy as may be in force from time to time.

b) "Conditions of Supply" shall mean the "Conditions of Supply of Electricity of Distribution Licensee in the State of Karnataka" approved by the Karnataka Electricity Regulatory Commission and as amended from time to time.

c) "Commission" means the Karnataka Electricity Regulatory Commission.

d) "Street includes any way, road, lane, square, court, alley, passage or open space, whether a thoroughfare or not, over which the public have a right of way, and also the roadway and foot-way over any public bridge or causeway;

2. **CONDITIONS OF SUPPLY :**

a) The Licensee shall supply electrical energy to the aforesaid premises of the Consumer from its distributing main for the purpose at low tension as specified in the "Conditions of Supply" under classification of supply and the Consumer shall take from the Licensee, electricity required for the purpose herein above recited at the single point of supply up to the maximum extent of .....9.4.W KW/HP, being the load sanctioned. The energy so supplied shall be utilized within the premises mentioned hereto, for the bonafide use of the Consumer.

b) Electrical energy supplied to the premises shall not be utilized by the Consumer in any manner prejudicial to the Licensee and all usage must be according to such method or methods approved by the Licensee. The use of power must be confined to such places as shall have been previously approved in writing by the Licensee. In case prejudicial use of power is detected, the Consumer shall pay penal charges in accordance with the provisions of the "Conditions of Supply" as in force from time to time. Besides, for dishonest abstraction/ use/consumption of electricity or interference with the metering equipment or accessories, the Consumer shall also be liable for prosecution under the Act and any other law for the time being in force, and the installation shall be liable for disconnection.

c) The Consumer shall permit the Licensee, free of cost, to erect the poles, distribution lines, structures, equipments, cables and other apparatus necessary for the supply of electrical energy under this Agreement over the land belonging to, or in the possession of, the Consumer.

d) The Consumer agrees to take supply under any conditions of restrictions of load and time that may be fixed by the Licensee from time to time and to pay fixed charges under this Agreement in full not withsanding such restrictions.

e) The supply is liable to be restricted, staggered or cut off altogether, as the case may be, if the power position or any other emergency warrants such a course of action. The Licensee reserves the right to periodical shutdown, as and when required, for the purposes of routine maintenance after giving reasonable intimation to the Consumer.

f) From the date of commencement of supply as defined in the "Conditions of Supply" until termination of agreement, the Consumer shall make payment to the Licensee for the electricity supplied during the prescribed billing period at the rates specified in the Licensee's tariff from time to time and applicable to the class of power supply irrespective of the installation being in service or under disconnection

g) Subject to the provisions of the Act, the "Conditions of Supply" and any other law for the time being in force, the supply under this Agreement is valid initially for a period of two years from the date of commencement of supply and shall stand automatically renewed from year to year thereafter until terminated by either of the parties. However, in case of TEMPORARY POWER SUPPLY, the period of agreement shall be for a period of ..... days/week/ months which period may be extended by the Licensee at the request of the Consumer. The power supply shall be disconnected after the expiration of the stipulated period unless a requisition is received for extension of the period, and such further deposit as may be demanded by the Licensee is paid by the Consumer before the expiry date.

h) Without prejudice to the rights and liabilities of the parties in respect of any matter antecedent to termination, either party to this agreement may terminate this Agreement by giving three months prior notice in writing.

i) The Licensee shall not be liable to pay any damages or compensation in connection with loss of life or property arising, occuring or resulting from the use of power.

ಪುಟ 4 ಅ.ಕ್ರ ಸಂಖ್ಯೆ.....

(ಕಛೇರಿಯ ಉಪಯೋಗಕ್ಕೆ ಮಾತ್ರ)

ಕ್ಷೇತ್ರ ವರದಿ

ಉಲ್ಲೇಖ : ಶ್ರೀ Asst Exective Engineer Samudaya Bhavana

ಅರ್ಜಿ AE(E)NWII/E9/LT3/..... ದಿನಾಂಕ 29-1-18

ವಿದ್ಯುತ್ ಸರಬರಾಜು ಬೇಕಾಗಿರುವ ವಿಳಾಸ : No - ward no-6

4th cross R.Uhegde nagar Bilore-77

1. ಉದ್ದೇಶಿತ ಸ್ಥಾವರವು : ಹೊಸದು : ಆರ್.ಆರ್. ನಂಬರಿಂದ ಸಂಪರ್ಕ..... New

ಆರ್. ಆರ್. ಸಂ. ..... ರ

ಪರಿವರ್ತನೆ ಅಥವಾ ಅಧಿಕ ಬೇಡಿಕೆಗೆ ನೆಲಮಾಳಿಗೆ : ನೆಲ : ಮೊದಲ : ಎರಡನೆ ಮಹಡಿಗೆ

ಜಕಾತಿ : LT3 (BBMP)

Govt Samudayabhavana.

2. ಈ ಆವರಣದಲ್ಲಿ ಕೆಳಕಂಡ ಸ್ಥಾವರಗಳಿವೆ. (ಆರ್.ಆರ್. ನಂ. ಮತ್ತು ಮಾಪನದ ರೀಡಿಂಗ್)

ಅ) ..... ಆ) ..... ಇ) .....

ಈ) ..... ಉ) ..... ಊ) .....

ಋ) ..... ೠ) ..... ಎ) .....

ಏ) ..... ಐ) ..... ಒ) .....

(ಇಲ್ಲಿ ಪ್ರತಿ ಸ್ಥಾವರದ ಎದುರಿಗೂ ಪಕ್ಕದಲ್ಲಿ ಮಾಪಕದ ರೀಡಿಂಗ್ ನಮೂದಿಸತಕ್ಕದ್ದು)

3. pls cancelled for commercial purpose ಕಾರಣದಿಂದ ಅರ್ಜಿದಾರರು ಕೆಳಿರುವ ಸಾಮಾನ್ಯ ಸೇವಾ ಮಾರ್ಗ ಸೌಲಭ್ಯವನ್ನು ನೀಡಬಹುದು : ನೀಡಲಾಗುವುದಿಲ್ಲ.

4. ಪ್ರಸ್ತಾವಿತ ಸೇವಾ ಮಾರ್ಗವು ಕೆಳಕಂಡಂತಿದೆ :

(ಅ) ಹಾಲಿ ಇರುವ ಸೇವಾ ಮಾರ್ಗದ ಗಾತ್ರವು / ಓವರ್ ಹೆಡ್ : ಭೂಗತ ಕೇಬಲ್

(ಆ) ಪ್ರಸ್ತಾವಿತ ಸೇವಾ ಮಾರ್ಗದ ಗಾತ್ರವು 4x25 Sqm Ug Cable ಓವರ್ ಹೆಡ್ : ಭೂಗತ ಕೇಬಲ್

(ಇ) ..... / .....ರವರಿಂದ ರಸ್ತೆ ಅಗೆಯಲು ಅಪ್ಪಣೆ ಬೇಕಾಗಿದೆ / ಬೇಕಾಗಿಲ್ಲ.

5. ವಿದ್ಯುತ್ ಮಾಪಕದ ವಿವರಗಳು :

(ಅ) ಹಾಲಿ ಇರುವ ಮಾಪಕದ ವಿವರಗಳು ..... / ..... ತಯಾರಿಕೆ ..... / ..... ಸಾಮರ್ಥ್ಯ

..... / ..... ರೀಡಿಂಗ್ ..... / ..... ಫೇಸ್

(ಆ) ಪ್ರಸ್ತಾವಿತ ಮಾಪಕ 3ph 3X5-30A - O/No

6. ಆವರಣವು ಗ್ರಾಮ ಪಂಚಾಯಿತಿ : ಕಂದಾಯ ಪ್ರದೇಶ : ಪುರಸಭೆ : ನಗರಾಭಿವೃದ್ಧಿ ಸಮಿತಿ : ಸ್ಥಳೀಯ ಅಭಿವೃದ್ಧಿ ಪ್ರಾಧಿಕಾರ : ಖಾಸಗಿ ಬಡಾವಣೆ : ಮಹಾನಗರಪಾಲಿಕೆಯ ವ್ಯಾಪ್ತಿಗೆ ಬರುತ್ತದೆ. Site 50x150

7. ಕಟ್ಟಡದ ವಿವರಗಳು :

(ಅ) ಕಟ್ಟಡಕ್ಕೆ Three ಅಂತಸ್ತುಗಳಿಗೆ, ಅಂದರೆ GF ಅಂತಸ್ತು, FF ಅಂತಸ್ತು, SF ಅಂತಸ್ತು ..... ಅಂತಸ್ತು ಮತ್ತು ಮಂಜೂರಾದ : ವಾಸ್ತು ಶಿಲ್ಪಿಯ ನಕ್ಷೆಯ ಪ್ರಕಾರ ಇದೆ.

(ಆ) ಕಟ್ಟಡವು ಹೊಸ ನಿರ್ಮಾಣ : ಹಳೆಯ ನಿರ್ಮಾಣ. P00 GF : 3964.25

(ಇ) ..... ಅಂತಸ್ತಿಗೆ ವಿದ್ಯುತ್ ಸಂಪರ್ಕ ಬೇಕಾಗಿದೆ. FF 2898.25

(ಈ) ಕಟ್ಟಡದ ಅಂತಸ್ತುವಾರು ಆಯದ ಕ್ಷೇತ್ರವು SF = 646.00

(ಗ) ಒಳಮಾಳಿಗೆ ..... ಚ.ಮೀ./ಚ.ಅ. (ಘ) ನೆಲಮಾಳಿಗೆ ಅಂತಸ್ತು 7508.50 ಚ.ಮೀ./ಚ.ಅ

(ಙ) ಮೊದಲ ಅಂತಸ್ತು ..... ಚ.ಮೀ./ಚ.ಅ. (ಳ) ಎರಡನೇಯ ಅಂತಸ್ತು ..... ಚ.ಮೀ./ಚ.ಅ

8. ಏನಾದರೂ ಇತರೆ ವಿವರಗಳು : Building comes under developed Area.

9. ಠಾಣೆಯ ಹೆಸರು : 66/11kV HBR ಠಾಣೆಯ ಸೂಚನಾ ಸಂಖ್ಯೆ : 11

10. ಫೀಡರ್‌ನ ಹೆಸರು : R.K.hegdenagar ಗರಿಷ್ಠ ಭಾರ : 200mA
(ಅಂಪಿಯರ್ಸ್‌ನಲ್ಲಿ)

ಫೀಡರ್ ಸೂಚನಾ ಸಂಖ್ಯೆ : F-12

11. ವಿದ್ಯುತ್ ನೀಡುವ ಪರಿವರ್ತಕದ ವಿವರಗಳು :

ಸ್ಥಳ Church TC ಸೂಚನಾ ಸಂಖ್ಯೆ : TC-138

ಸಾಮರ್ಥ್ಯ : 250kVA ಸಂಪರ್ಕಿತ ಭಾರ (ಲೋಡ್) :

ಈ ಪರಿವರ್ತಕದ ಮೇಲೆ ಸಂಪರ್ಕ ಪಡೆದ ಕೊನೆಯ ಆರ್.ಆರ್. ಸಂಖ್ಯೆ ..... ದಿನಾಂಕ .....

12. ವಿದ್ಯುತ್ ಸರಬರಾಜು ಸಾಧ್ಯವೇ : ಸಾಧ್ಯ : ಸಾಧ್ಯವಿಲ್ಲ.

pole ID - 1000144893 7
NRR No - GEDh-19554
LT3 1 No X 9kW
BBMP Samudaya Bhavana.

ದಿನಾಂಕ : 24/1/18

Junior Engineer
NAGARA
Ex...
BANGALORE

ಸಹಾಯಕ ಎಂಜಿನಿಯರ್ (ವಿದ್ಯುತ್)
ಕಿರಿಯ ಎಂಜಿನಿಯರ್ (ವಿದ್ಯುತ್)

..... ಘಟಕ

ವಿವರಗಳಿಗಾಗಿ ಸಹಾಯಕ ಲೆಕ್ಕಾಧಿಕಾರಿಗಳಿಗೆ ಕಳುಹಿಸಿದೆ.
(ಹೊಸ ಸ್ಥಾವರಗಳಿಗೆ ಅನ್ವಯಿಸುವುದಿಲ್ಲ)

ದಿನಾಂಕ : .....

ಸಹಾಯಕ ಎಂಜಿನಿಯರ್ (ವಿದ್ಯುತ್)
ತಾಂತ್ರಿಕ ವಿಭಾಗ

Bangalore ವಿದ್ಯುತ್ ಸರಬರಾಜು ಕಂಪನಿ ನಿಯಮಿತ

ಕ್ರ.ಸಂ.ಸ.ಕಾ.ನಿ.ಎಂ.(ವಿ) :: ಸ.ಎಂ.(ತಾಗಿ) :

(ಅಂಚೆಯ ಮೂಲಕ ಮಾತ್ರವೇ ಕಳುಹಿಸತಕ್ಕದ್ದು)

ಸಹಾಯಕ ಕಾರ್ಯನಿರ್ವಾಹಕ ಇಂಜಿನಿಯರ್ (ವಿ.)ರವರ ಕಛೇರಿ
EG
ಉಪವಿಭಾಗ,
EG
ವಿದ್ಯುತ್ ಸರಬರಾಜು ಕಂಪನಿ ನಿಯಮಿತ
BW

ದಿನಾಂಕ

ಗೆ,
A.E.E BBMP
Ward No 6
Samudaya Bhavan
ಮಾನ್ಯರೇ, 4th cross RT Nagar

NIL

ನಿಮ್ಮ ಸ್ಥಾವರಕ್ಕೆ ವಿದ್ಯುತ್ ಮಂಜೂರಾತಿ

ಈ ಪತ್ರಕ್ಕೆ ನಮ್ಮ ಕಚೇರಿಯ 7049 ದಿನಾಂಕದ 22/1/18 ಸಂಖ್ಯೆಯ ಪತ್ರದ ಉಲ್ಲೇಖವಿದೆ. ಈ ಮೂಲಕ ತಮಗೆ ತಿಳಿಯಪಡಿಸುವುದೇನೆಂದರೆ, ಕೆಳಕಂಡ ನಿಬಂಧನೆಗಳ ಪ್ರಕಾರ ನಿಮಗೆ —— ಅ.ಶ. 9 KW ಕಿ.ವಾ. ಗಳಿಗೆ ಮಾತ್ರ ವಿದ್ಯುತ್ ಮಂಜೂರಾತಿ/ಹೆಚ್ಚುವರಿ ವಿದ್ಯುತ್ ಮಂಜೂರಾತಿ ನೀಡಿದೆ.

1. ವಿದ್ಯುತ್‌ನ್ನು ಒಂದು ಫೇಸ್, 230ವೋಲ್ಟ್ : ಮೂರು ಫೇಸ್, 400 ವೋಲ್ಟ್‌ಗಳಲ್ಲಿ ಸರಬರಾಜು ಮಾಡಲಾಗುತ್ತದೆ.
2. ಹಾಲಿ ತಮ್ಮ ಸ್ಥಾವರಕ್ಕೆ ಅನ್ವಯಿಸುವ ವಿದ್ಯುತ್ ಜಕಾತಿಯು LT3 ಆಗಿರುತ್ತದೆ.
3. ನೀವು —— ಆರ್.ಕೆ.ವಿ.ಎ. ಸಾಮರ್ಥ್ಯದ ಎಲ್.ಟಿ. ಕೆಪಾಸಿಟರ್‌ನ್ನು ಅಳವಡಿಸಬೇಕು.
4. ನೀವು —— ಅಂಪೇರ್ ಸಾಮರ್ಥ್ಯದ ವಿದ್ಯುತ್ ಪ್ರವಾಹದ ಮಿತಕ (ಲಿಮಿಟರ್)ನ್ನು ಅಳವಡಿಸುವುದು.
5. ನೀವು —— ಅಂಪೇರ್ ಸಾಮರ್ಥ್ಯದ ಅರ್ತ್ ಲೀಕೇಜ್ ಸರ್ಕ್ಯೂಟ್ ಬ್ರೇಕರನ್ನು ಹಾಕಿಸತಕ್ಕದ್ದು. (30ma (ಮಿಲಿ ಅಂಪಿಯರ್) ಸೋರುವಿಕೆ ಪತ್ತೆ ಮಾಡುವ)
6. ನಿಮಗೆ ಸೂಚಿಸಿರುವ ಮಾರ್ಗದಲ್ಲಿ 16X4 ಗಾತ್ರದ ಭೂಗತ ಕೇಬಲ್: ಓವರ್ ಹೆಡ್ ಸೇವಾ ಸಂಪರ್ಕವನ್ನು ಹಾಕಿಸತಕ್ಕದ್ದು.
7. ಈ ಕೆಳಕಂಡ ಶುಲ್ಕ: ಠೇವಣಿಯನ್ನು ಪಾವತಿಸತಕ್ಕದ್ದು:
   (ಅ) ಮೂರು ತಿಂಗಳ ಕನಿಷ್ಠ ಠೇವಣಿ ರೂ. 2mmd — 14140X12
   (ಆ) ಮಾಪಕ ಭದ್ರತಾ ಠೇವಣಿ ರೂ. SLC - 3900X1
   (ಇ) ಅಂದಾಜು ವೆಚ್ಚ ರೂ. ASLC 6000X1
   (ಈ) ಮೇಲ್ವಿಚಾರಣಾ ಶುಲ್ಕ ರೂ. ——
8. ನೀವು ಅನುಮತಿ ಪಡೆದ ವಿದ್ಯುತ್ ಗುತ್ತಿಗೆದಾರರಿಂದ ಪಡೆದ ಕಾರ್ಯಸಮಾಪನ ಮತ್ತು ಪರೀಕ್ಷಾ ವರದಿಯ ಜೊತೆಗೆ ದ್ವಿಪ್ರತಿಯಲ್ಲಿ ವೈರಿಂಗ್ ನಕ್ಷೆಯನ್ನು ಹಾಜರುಪಡಿಸತಕ್ಕದ್ದು. ಜೊತೆಗೆ ನೀವು ವಿದ್ಯುತ್ ಗುತ್ತಿಗೆದಾರರ ಚಾಲ್ತಿಯಲ್ಲಿರುವ ಅನುಮತಿ ಪ್ರತಿಯನ್ನೂ ಹಾಜರುಪಡಿಸತಕ್ಕದ್ದು.
9. ನೀವು ರಸ್ತೆ ಅಗೆಯುವ ಅಪ್ಪಣೆ ಪತ್ರವನ್ನು —— ರವರಿಂದ ಪಡೆದು ಸಲ್ಲಿಸಬೇಕಾಗಿದೆ.
10. ನಿಗದಿತ ನಮೂನೆಯಲ್ಲಿ ದ್ವಿಪ್ರತಿಯಲ್ಲಿ ಒಪ್ಪಂದದ ಪತ್ರಗಳನ್ನು ಸಲ್ಲಿಸತಕ್ಕದ್ದು. (ಅದರಲ್ಲಿ ಒಂದಕ್ಕೆ ಸೂಕ್ತ ಸ್ಟಾಂಪ್ ಹಾಕಿರಬೇಕು)
11. ವಿತರಣಾ ಮಾರ್ಗದ ಕೇಬಲ್‌ನ ವಿಸ್ತರಣೆ ಆದ ನಂತರ ವಿದ್ಯುತ್ ಸರಬರಾಜಿಗೆ ವ್ಯವಸ್ಥೆ ಮಾಡಲಾಗುವುದು. ಮೇಲಿನ ಎಲ್ಲಾ ಅವಶ್ಯಕ ನಿಬಂಧನೆಗಳೂ ಈ ಪತ್ರದ ದಿನಾಂಕದಿಂದ ಮೂರು ತಿಂಗಳುಗಳ ಒಳಗಾಗಿ ಈಡೇರಿಸಬೇಕು. ಈ ನಿಟ್ಟಿನಲ್ಲಿ ವಿಫಲವಾದರೆ, ವಿದ್ಯುತ್ ಮಂಜೂರಾತಿಯು ತನ್ ತಾನೇ ರದ್ದಾಗುತ್ತದೆ ಮತ್ತು ಪಾವತಿ ಮಾಡಿರುವ ಠೇವಣಿಯನ್ನು ನಿಗಮಕ್ಕೆ ಮುಟ್ಟುಗೋಲು ಹಾಕಿಕೊಳ್ಳಲಾಗುತ್ತದೆ.

ತಮ್ಮ ವಿಶ್ವಾಸಿ

ಸಹಾಯಕ ಕಾರ್ಯನಿರ್ವಾಹಕ ಇಂಜಿನಿಯರ್ (ವಿ)
ಉಪವಿಭಾಗ

E.9 **ELECTRICITY SUPPLY COMPANY LIMITED**

(Wholly owned Government of Karnataka Undertaking)

REQUISITION FOR SUPPLY OF ENERGY

UNDER ELECTRICITY ACT 2003

50/-

(Please tick (✓) on the appropriate box) Refer Annexure-I					
☐ LT-1 BJ/KJ Installation					
☐ LT-2 Domestic Consumer Category	☐ LT-2a(i)	☐ LT-2a(ii)	☐ LT-2b(i)	☐ LT-2b(ii)	
☐ LT-3 Commercial Lighting & Heating	☐ LT-3(i)	☐ LT-3(ii)			
☐ LT-4 IP Set Installations	☐ LT-4(a)	☐ LT-4(b)	☐ LT-4(c)(i)	☐ LT-4(c)(ii)	
☐ LT-5 Installations of LT Indsutries	☐ LT-5(a)	☐ LT-5(b)			
☐ LT-6 Water Supply / Street light	☐ LT-6(a)	☐ LT-6(b)			
☐ LT-7 Temporary Connection					
Application Type	○ Regular	○ Tatkal			

A	**GENERAL PARTICULARS**		
For individual Applicants only			
Name	Asst. Executive Engineer, Samudhaya Bhavana		
Father's/Husband's Name	BBMP		
Name of the Nominee (Optional)			
For Organization / Corporate Applicants Only			
Name of the Organization			
Name of the Authorized Signatory			
Designation of the Authorized Signatory			
Complete Address of location where power supply is required			
House No./Flat No./Shop No./Plot No.	Ward. No. 6		
Floor	Street Name		
Area/Location	Hegganagara	Cross	4th Cross
Main	City	Bangalore	
Pin	Ph. No.	Mobile	9448054475
Landmark			
Email			
Permanent Address / Registered Office Address in case of company			
○ Same address as mentioned above		○ If different, specify below	
House No./Flat No./Shop No./ Plot No.			
Floor	Street Name		
Area/ Location		Cross	
Main	City		
Pin	Ph. No.	Mobile	
Landmark			
Email			

B	**PARTICULARS OF CONNECTION**		
No. of Points	Desired load (KW/HP)	9.1 K.W	○ Lighting ○ Heating
Required Voltage (V/kV)	Phase Requirement	○ Single phase	● Three phase
This requisition is for	○ A new Service	○ A sub-service from existing service	
In case of sub-service from existing service			
Name of the existing consumer			
Existing R.R.No.	Acc. ID.		

WIRING DIAGRAM OF .....

INSTALLATION OF .....

AT .....

Contractor's Firm Name

SRI DURGA ENTERPRISES

(Class I Govt. Licenced Electrical Engineers & Contractors)

10, Akshaya Nilaya, 4th Cross

2nd Main Road, Maruthi Nagar

Bhadrappa layout, Bangalore - 560 094

ಕರ್ನಾಟಕ ರಾಜ್ಯ ಅನುಮತಿ ಪಡೆದ ವಿದ್ಯುತ್ ಗುತ್ತಿಗೆದಾರರ ಸಂಘ (ರಿ.)

Karnataka State Licenced Electrical Contractors Association (R.)

No. 33, Avenue Road, Bangalore - 560 002

✆ : 22210983



LEGEND

Main Control
Main Distribution Board
Sub Distribution Board
Drop Light
Bracket
Fan Points
Plug Point 3 Pin 5A
Plug Point 3 Pin 15A
Water Tight Fitting
Bell Push
Light Circuit
Power Circuit
Internal Earthing\
Meter Board

P.K.S.N

Signature of Contractor

Licence No. 04882.....

P. Anj

Signature of Supervisor

Permit No. 7124....

ಸಹಾಯಕ ಕಾರ್ಯನಿರ್ವಾಹಕ ಅಭಿಯಂತರರು

ಬೆಸ್ಕಾಂ ನಗರ ವಿಭಾಗ

Signature of Consumer

ಬಿ.ಬಿ.ಎಂ.ಪಿ., ಬೆಂಗಳೂರು-94

Bangalore

ಅಂದಾಜನ್ನು ಒಳಗೊಂಡ ಸಮಾಪನ ವರದಿ ಶ್ರೀ (ಹೆಸರು ಮತ್ತು ವಿಳಾಸ) Asst Exctive eng

ಅರ್ಜಿ ಸಂಖ್ಯೆ ..... OINO ..... ಅಂದಾಜು ಸಂಖ್ಯೆ AE(E)NW/R&P/

ಪ್ರಮಾಣ ..... 9KWX1ND - LT3 ..... ದಿನಾಂಕ 20-1-18

ಕ್ರಮ ಸಂಖ್ಯೆ	ವಿವರ	ಸಾಮಗ್ರಿ ಸಂಕೇತ ಸಂಖ್ಯೆ	ದರ	ಅಂದಾಜು ಮಾಡಿದಂತೆ ಪರಿಮಾಣ	ನಿರೀಕ್ಷಿಸಿದಂತೆ ಮೊಬಲಗು ಪರಿಮಾಣ, ಸರಕುಪಟ್ಟಿ ಸಂ. ಮತ್ತು ದಿ
೧.	ಮಾಪಕ ಸಿಂ. ಫೇಸ್ ..... ಅಂಪ್ಸ್				
	ಮಾಪಕ 3 ಫೇಸ್ 3X5-30A ಅಂಪ್ಸ್		2250	OINO-	2250-
೨.	ಓವರ್‌ಹೆಡ್ ಮಾರ್ಗದಿಂದ ಪೋಲ್ ಫ್ಯೂಸ್ ಬೋರ್ಡಿನವರೆಗೆ ಸಂಪರ್ಕಕ್ಕಾಗಿ ಏರಿಯಲ್ ಫ್ಯೂಸ್ ಬೋರ್ಡು ಕಟ್‌ಔಟ್ ಒಟ್ಟಾರೆಯಾಗಿ			Us	50-0
೩.	ಇತರೆ, ಇನ್ನೇನಾದರೂ ಇದ್ದರೆ (ವಿವರ ಒದಗಿಸಿರಿ)		New Service NRRNO-		
೪.	ಮರುಪಾವತಿ ಮಾಡಬೇಕಾದ ಸಂಪರ್ಕ ಮಾರ್ಗದ ಮಂಡಳಿಯ ಪಾಲಿನ ಮೊಬಲಗು		ಇಲ್ಲ ಸಿಂ. ಫೇಸ್ ರೂ. 400/750 3 ಫೇಸ್ ರೂ. 500/1,000		
೫.	ಬಾಕಿ ಇನ್ನೇನಾದರೂ ಇದ್ದರೆ				
೬.	ಒಟ್ಟು ಮೊತ್ತ		Total- Rs-2300/		

ಸಂಪರ್ಕ ವಿಧಾನ	ಷರಾ
(ಅ) ಹಾಲಿ ಇರುವ ಸೇವಾ ಮಾರ್ಗ ☐	Fieldreport enclosed
(ಆ) ಉದ್ದೇಶಿತ ಸಂಪರ್ಕ ಮಾರ್ಗ ☐	
(ಇ) ಓವರ್ ಹೆಡ್ ಸಿಂ. ಫೇಸ್/3 ಫೇಸ್ ☐	
(ಈ) ಭೂಗತ ಕೇಬಲ್ ಸಿಂ. ಫೇಸ್/3 ಫೇಸ್ ☐	
(ಉ) ರಸ್ತೆ/ಪಾದಾಚಾರಿ ರಸ್ತೆ ಅಗೆಯುವ ಅಗತ್ಯ ಇದೆಯೇ ☐	
ಅಥವಾ ಇಲ್ಲವೇ ಸಂಬಂಧಿಸಿದ ಚೌಕದಲ್ಲಿ ಗುರುತು ಮಾಡಿರಿ	

ದೃಢೀಕರಣ : (ಅಂದಾಜನ್ನು ಸಿದ್ಧಪಡಿಸುವ ಅಧಿಕಾರಿಯು ನೀಡತಕ್ಕದ್ದು)

೧. ಆವರಣವನ್ನು ಪರೀಕ್ಷಿಸಿದ ನಂತರ ನಾನು ಅಂದಾಜನ್ನು ಸಿದ್ಧ ಪಡಿಸಿದ್ದೇನೆ. ಮತ್ತು ಮಾಪಕ ಹಲಗೆಯ ಸ್ಥಾನವನ್ನು ನಿಗದಿಪಡಿಸಿ ಅದ ಬಳಕೆದಾರರಿಗೆ/ಅವರ ಪ್ರತಿನಿಧಿಗಳಿಗೆ ತೋರಿಸಿದ್ದೇನೆ.

೨. ..... ಸಿಂ.ಫೇಸ್/3 ಫೇಸ್ ಗಾತ್ರದ ಓವರ್ ಹೆಡ್/ಭೂಗತ ಸೇವಾ ಮಾರ್ಗವನ್ನು ಹಾಕಬೇಕಾಗಿದೆ. ಹಾಲಿ ಇರುವ ..... ಕೆ.ಡಬ್ಲ್ಯೂ ಒತ್ತಡದಲ್ಲಿಯೇ ಸಿಂ.ಫೇಸ್/3 ಫೇಸ್‌ನ ..... ಗಾತ್ರದ ಓ.ಹೆಡ್/ಭೂಗತ ಕೇಬಲ್ಸ್ ಸೇವಾಮಾರ್ಗದಲ್ಲಿಯೇ ಹೆಚ್ಚುವ ..... ಕೆ.ಡಬ್ಲ್ಯೂ ವಿದ್ಯುತ್ತನ್ನು ಹಾಯಿಸಲು ಸಾಧ್ಯವಾಗುತ್ತದೆ.

Ramesh 22/1/18

ಶಾಖಾಧಿಕಾರಿ (ಕಛೇರಿ ಮೊಹರ್)

೧. ..... ವಿ.ಸ.ಕಂ.ನಿ. ನಿರ್ದೇಶನಗಳಿಗೆ ಅನುಗುಣವಾಗಿ ಐ.ಎಸ್.ಐ. ಗುರುತನ್ನುಳ್ಳ ..... ಗಾತ್ರ ಸಿಂ.ಫೇಸ್/3 ಫೇಸ್ ಓವರ್‌ಹೆಡ್/ಭೂಗತ ಸೇವಾ ಕೇಬಲ್‌ಮಾರ್ಗಗಳನ್ನು ಒಳಗೊಂಡಂತೆ ಮಾಪಕ ಹಲಗೆಯ ಜೋಡಣೆ ಮತ್ತು ಸೀಲಬಂ ಕಟ್‌ಔಟ್‌ಗಳನ್ನು ಹಾಕಿಸಲು ಮತ್ತು ವಿದ್ಯುತ್ ಸಂಪರ್ಕ ಪಡೆದ ಒಂದು ವರ್ಷದ ಅವಧಿಯೊಳಗೆ ಉಂಟಾಗಬಹುದಾದ ದೋಷಯು ಸೇವಾಮಾರ್ಗ/ಸಾಮಗ್ರಿಗಳನ್ನು ಗುತ್ತಿಗೆದಾರರ ಮುಖಾಂತರ ನನ್ನ ಸ್ವಂತ ಖರ್ಚಿನಲ್ಲಿ ಸರಿಪಡಿಸಲು/ಬದಲಾಯಿಸಲು ಒಪ್ಪಿದ್ದೇನೆ.

೨. ಮೇಲಿನ 4ನೇ ಕ್ರಮಾಂಕದಲ್ಲಿ ವಿವರಿಸಿರುವಂತೆ ನನಗೆ ಮರುಪಾವತಿ ಮಾಡಬೇಕಾದ ಮೊಬಲಗನ್ನು ಈ ಸ್ಥಾವರಕ್ಕೆ ಸಂಬಂಧಿಸಿದ ಲೆಕ್ ಹೊಂದಾಣಿಕೆ ಮಾಡಬೇಕಾಗಿ ವಿನಂತಿಸುತ್ತೇನೆ.

ಸ್ಟ್ಯಾಂಪು

ಬಳಕೆದಾರರ ಸಹಿ

ವಿದ್ಯುತ್ ಸರಬರಾಜು ಕಂಪನಿ ನಿಯಮಿತ

Near BBMP Samudaya Bhavana No-6 ~~ಓವರ್ ಹೆಡ್/ಭೂಗತ~~ ಸೇವಾ ಸಂಪರ್ಕಗಳ ಬಿಲ್ ನಮೂನೆ

3 4th X RKhegde nagar ತಾಂತ್ರಿಕ ವಿಭಾಗ

(ಕಛೇರಿಯ ಉಪಯೋಗಕ್ಕೆ ಮಾತ್ರ)

೧. ಭದ್ರತಾ ಠೇವಣಿ ರೂ. 2MMD = 14140X1 ರಶೀದಿ ಸಂಖ್ಯೆ 05527 ದಿನಾಂಕ 30/1/18

೨. ಮೇಲ್ವಿಚಾರಣಾ ಶುಲ್ಕ ರೂ. S/c 3900X1 ರಶೀದಿ ಸಂಖ್ಯೆ 81438 ದಿನಾಂಕ —

೩. ಮಾಪಕ ಭದ್ರತಾ ಠೇವಣಿ ರೂ. A/c 6000X1 ರಶೀದಿ ಸಂಖ್ಯೆ 6917 ದಿನಾಂಕ —

ಮಂಜೂರಾಗಿರುವುದು ರೂ. (ಅ) ..... (ವಿತರಣಾ ಮಾರ್ಗ) + ರೂ. (ಆ) .....

ಒಟ್ಟು ರೂ. Two Thousand Three Hundred only

ಕಾರ್ಯಾದೇಶ ಸಂಖ್ಯೆ NWE9/SND/17-18/14-4007/E-3943 ದಿನಾಂಕ 30/1/18

ಬಡ್ಜೆಟ್ "14,400-ಸಿ.ಡಬ್ಲ್ಯೂ.ಐ.ಪಿ.-ಸೇವಾ ಸಂಪರ್ಕಗಳು"

~~ಸಹಾಯಕ ಇಂಜಿನಿಯರ್ (ತಾಂತ್ರಿಕ)~~ ಸಹಾಯಕ ಕಾರ್ಯ ನಿರ್ವಾಹಕ ಇಂಜಿನಿಯರು (ವಿ.)

ದಿನಾಂಕ ..... ದಿನಾಂಕ .....

ನಿರ್ವಹಣೆ ಮತ್ತು ಪಾಲನೆ ಘಟಕ

ಸಂಪರ್ಕ ದಿನಾಂಕ 23-2-18 ಆರ್. ಆರ್. ಸಂಖ್ಯೆ .....

ಇರುವುದು/ಹೊಸದು New SPHL24-3X5-30A-C-23336-9ECH-2-18

ಸಂಪರ್ಕ ವಿಧಾನ : ಓವರ್ ಹೆಡ್/ಭೂಗತ-ಸಿಂಗಲ್ ಫೇಸ್/3 ಫೇಸ್

ಒಟ್ಟೂ ಉದ್ದ 20mts Durgalle

ವೆಚ್ಚ ರೂ. 2300/- (ಅ)

ಅನುಮೋದಿನ ನಮೂದಿಗೆ ಅನುಗುಣವಾಗಿ ಸಂಪರ್ಕ ಮಾರ್ಗ ಹಾಕಲಾಗಿದೆ.

ಶಾಖಾಧಿಕಾರಿ

ರೆವಿನ್ಯೂ ಶಾಖೆಯ ಉಪಯೋಗಕ್ಕೆ

೧. ಖಾತೆ ಪುಸ್ತಕದಲ್ಲಿ ಖಾತೆ ಆರಂಭಿಸಿದ ದಿನಾಂಕ .....

೨. ಖಾತೆ ಪುಸ್ತಕ ಪುಟ ಸಂಖ್ಯೆ .....

೩. ಮೊದಲನೆ ಬಿಲ್ಲನ್ನು ಕಳುಹಿಸಿದ್ದು .....

ಮೊಬಲಗು ರೂ. .....

೪. ಮಾರ್ಗ ಕನಿಷ್ಠ ಶುಲ್ಕ ರೂ. .....

ಕಿರಿಯ ಸಹಾಯಕ/ಸಹಾಯಕ

ತಾಳೆ ನೋಡಿದೆ

ಹಿರಿಯ ಸಹಾಯಕ/ಸಹಾಯಕ ಲೆಕ್ಕಾಧಿಕಾರಿ

ವಿಭಾಗ ಕಛೇರಿಯ ಉಪಯೋಗಕ್ಕೆ

೧. ಆಸ್ತಿಯ ಮೌಲ್ಯ ರೂ. .....

(ಕಂಪನಿಗೆ ಖರ್ಚು ಹಾಕಬಹುದಾದದ್ದು) ..... (ಅ)

ಮತ್ತು ರೂ. .....

(ಬಳಕೆದಾರರಿಗೆ ಖರ್ಚು ಹಾಕಬಹುದಾದದ್ದು) ..... (ಆ)

ಒಟ್ಟು ರೂ. ..... (ಅ+ಆ)ಗಳನ್ನು ವರ್ಗೀಕರಿಸಲಾಗಿದೆ

೨. ಶ್ರೀ/ಶ್ರೀಮತಿ .....

ಅವರ ಹೆಸರಿಗೆ ರೂ. ..... ಹೊಂದಾಣಿಕೆ ಮಾಡಲಾಗಿದ್ದು ವಿಭಾಗೀಯ ಲೆಕ್ಕದಲ್ಲಿ ಸೇರಿಸಲಾಗಿದೆ.

ಸಹಾಯಕ/ಹಿರಿಯ ಸಹಾಯಕ

ತಾಳೆ ನೋಡಿದೆ

ಸಹಾಯಕ ಲೆಕ್ಕಾಧಿಕಾರಿ

PRODUCED BY AN AUTODESK

PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT



GROUND FLOOR PLAN



ELEVATION



EDUCATIONAL PRODUCT



FIRST FLOOR PLAN



SECOND FLOOR PLAN



SITE PLAN

Submitted Sir I have personally Inspected the Spot of BBMP Samudaya Bhavan. The total Plinth Area is = 7508.5

Junior Engineer (Civil)
MAGADI ROAD O&M UNIT-2
PROJECTS, SUB-DIVISION
BANGALORE - 560 023

31/10/2001

AREA STATEMENT	
G. F. AREA	3080.00 Sq. FT
F. F. AREA	3080.00 Sq. FT
S. F. AREA	836.00 Sq. FT

OWNER SIGNATURE

ASSIT EXISTIVE ENGINEER

PLAN SHOWING SAMUDHAYA BHAVAN BUILDING
#
B.B.M.P. WARD NO: 6
4th CROSS
HEGADE NAGAR
BANGALORE

PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT